



Workshop	東洋柴油噴射器系統有限公司 toyo6697@gmail.com
-----------------	-------------------------------------

Customer	- - -
-----------------	-------------



GK2Q-9K546-AC

Continental | PCR5



Original Database

S/N a
old
IIC.2
new

CP: 0445010811



Insulation Check

STRK Inj.1	1000.0 555.0	FL(oC): 29.4 RL(oC): 29.9 PT(oC): --	10 sec	
------------	-----------------	--	--------	--

RC : SKIPPED

FL(W) : SKIPPED

LKT.01

STRK hp(bar) LP(bar) RPM	1000.0 200.0 3.9 1000	FL(oC): 29.4 RL(oC): 30.1 PT(oC): --	Visual	
			[R] 30.0 15.0 +/- 15.0 ml/min	0.0 0.0 0.0

LKT.02

STRK hp(bar) LP(bar) RPM	1000.0 2000.0 3.9 1000	FL(oC): 34.5 RL(oC): 32.2 PT(oC): --	Visual	
			[R] 30.0 15.0 +/- 15.0 ml/min	0.0 0.0 0.0



CP: 0445010811

GK2Q-9K546-AC

Continental | PCR5



Original Database

S/N a
old
IIC.2
new



Warm Up ✔

		[RSP]		260	
STRK	1000.0	FL(oC):	34.7	[D]	500.0
Inj.1	596.0	RL(oC):	35.9	250.0 +/- 250.0	
hp(bar)	2200.0	PT(oC):	--	mm3/STRK	57.3
LP(bar)	3.9				57.3
RPM	750				57.2
				0.0	

iVM.01 ✘

		[R]		34.0	
		17.0 +/- 17.0		0.0	
		mm3/STRK			
		[RSP]		271	
STRK	1000.0	FL(oC):	35.2	[D]	62.9
Inj.1	596.0	RL(oC):	40.9	59.9 +/- 3.0	
hp(bar)	2200.0	PT(oC):	--	mm3/STRK	56.9
LP(bar)	3.9				56.8
RPM	750				56.7
				56.9	

iVM.02 ✘

		[RSP]		261	
STRK	1500.0	FL(oC):	35.8	[D]	2.9
Inj.1	154.0	RL(oC):	42.0	2.0 +/- 0.9	
hp(bar)	900.0	PT(oC):	--	mm3/STRK	0.8
LP(bar)	3.9				0.8
RPM	300				0.8
				1.1	

iVM.03 ✘

		[RSP]		274	
STRK	1000.0	FL(oC):	36.6	[D]	34.0
Inj.1	623.0	RL(oC):	40.3	31.3 +/- 2.7	
hp(bar)	900.0	PT(oC):	--	mm3/STRK	27.6
LP(bar)	3.9				27.6
RPM	300				27.5
				28.6	



CP: 0445010811

GK2Q-9K546-AC

Continental | PCR5



Original Database

S/N a
old
IIC.2
new



iVM.04

		[RSP]		475	
STRK	1500.0	FL(oC):	37.3	[D]	3.8
Inj.1	414.0	RL(oC):	39.9	2.9 +/- 0.9	
hp(bar)	300.0	PT(oC):	--	mm3/STRK	1.6
LP(bar)	3.9				1.6
RPM	300				1.6
				2.0	

iVM.05

		[RSP]		447	
STRK	2000.0	FL(oC):	37.3	[D]	12.4
Inj.1	612.0	RL(oC):	39.2	8.0 +/- 4.4	
hp(bar)	300.0	PT(oC):	--	mm3/STRK	3.9
LP(bar)	3.9				3.9
RPM	300				3.9
				3.6	

RSP

		[RSP]		277	
STRK	2000.0	FL(oC):	37.3	[RSP]	332.9
Inj.1	750.0	RL(oC):	38.7	240.0 +/- 92.9	
hp(bar)	800.0	PT(oC):	--	usec	279
LP(bar)	3.9				277
RPM	1000				272
				147.1	

aNOP

		[RSP]		277	
STRK	2000.0	FL(oC):	36.8	[NOP]	220.0
Inj.1	750.0	RL(oC):	38.6	160.0 +/- 60.0	
hp(bar)	800.0	PT(oC):	--	bar	223
LP(bar)	3.9				223
RPM	1000				223
				100.0	



CP: 0445010811

GK2Q-9K546-AC

Continental | PCR5



**Original
Database**

S/N a
old
IIC.2
new -

